

# NORCOLD REFRIGERATORS

## MAJOR APPLIANCES

J

In Section J:	Vacuum	Refrigerators & Acc.	Dishwasher	Ranges & Acc.	Washer/Dryer	Water Heaters	Furnace	Fans	Air Conditioners	Generators
---------------	--------	----------------------	------------	---------------	--------------	---------------	---------	------	------------------	------------



## NORCOLD GAS ABSORPTION REFRIGERATORS ARE SIZED TO FIT YOUR NEEDS

In addition to leading the field in being compact, efficient and user friendly, these units have significant ergonomic touches to really enhance the vehicle.

### N510 GAS ABSORPTION REFRIGERATOR FEATURES:

- Largest capacity – 5.5 cubic feet – in its class.**
- Automatic re-ignites on gas if the flame goes out.
- Adjustable thermostat; set interior temperature to your preference.
- Thermostat backup system allows operation until service can be performed.
- Convenient eye-level electronic controls.
- Built-in control diagnostics provide valuable information to simplify servicing, speed repairs and increase customer satisfaction.
- Easy-clean, no-tarnish white powder-coated shelves.
- Adjustable middle shelf.
- Adjustable, removable door bins.
- 1-gal. container shelf storage; 2-liter bottle and 1/2 gal. door bin storage.
- Fresh fruit/vegetable storage bin/crisper.
- Flip-up bottom shelf holds gallon jug.
- Auto change over between gas and electric.
- Easily-reversible, self-latching door opens 150° and accepts side-installed decorative door panels.
- Travel latch with storage position.
- Latch can be mounted on top or bottom of door.
- Integrated Cover/Baffle over controls.
- Automatic cycle to limit frost buildup on the refrigerator cooling fins.



Model	Amps 120V AC	Amps 12V DC	LP Gas
N410	2.0	—	Yes
N410.3	2.0	14.2	Yes
N510	2.0	.0.4	Yes
N510.3	2.0	14.2	Yes



### N410 (2-way) and the N410.3 (3-way) 4.5 cu. ft. FEATURES:

- Largest capacity — 4.5 cubic feet — in its class**
- Adjustable thermostat responds to changes in ambient temperature swings.
- Superior cooling performance.
- Convenient eye level controls.
- Freezer compartment.
- Easy to clean, no-tarnish white powder coated shelves.
- Adjustable, removable door bins.
- One-gallon container shelf storage, 2-liter bottle and 1/2 gallon door bin storage.
- Flip-up shelf accommodates gallon container.
- Manual change over between gas and electric.
- Self-latching reversible door opens 180°.
- Travel latch with storage position.
- Flame Current Meter monitors gas ignition.
- 84 lbs. net weight; 98 lbs. shipping weight.
- Made in America
- 1-year limited warranty.

Order #	Mfr. #	Built-In Refrigerator	Capacity cu. ft.	Cut-Out Dimensions	Door Panel Dimensions (not included)		
66392	#N410UR	2-Way - 120 VAC & LP Gas	4.5	36 $\frac{9}{16}$ "H x 23 $\frac{11}{16}$ "W x 24"D	31"H x 21 $\frac{5}{16}$ "W x 3 $\frac{3}{16}$ "T	◆	
66292	#N410.3UR	3-Way - 120 VAC, 12 VDC & LP Gas	4.5	36 $\frac{9}{16}$ "H x 23 $\frac{11}{16}$ "W x 24"D	31"H x 21 $\frac{5}{16}$ "W x 3 $\frac{3}{16}$ "T	◆	
65427	#N510UR	2-Way - 120 VAC & LP Gas	5.5	42 $\frac{5}{8}$ "H x 23 $\frac{11}{16}$ "W x 24"D	37"H x 21 $\frac{5}{16}$ "W x 3 $\frac{3}{16}$ "T	◆	
65428	#N510.3UR	3-Way- 120 VAC, 12 VDC & LP Gas	5.5	42 $\frac{5}{8}$ "H x 23 $\frac{11}{16}$ "W x 24"D	37"H x 21 $\frac{5}{16}$ "W x 3 $\frac{3}{16}$ "T	◆	



## NORCOLD GAS ABSORPTION BUILT-IN REFRIGERATORS

These RV refrigerators are built to withstand the rigors of the road, as well as exposure to outdoor elements like dust, and dramatic changes in temperatures. "Two-Way" refrigerators are powered by 110 volt AC and LP gas, while "Three-Way" models also work on 12 volt DC. RV refrigeration systems use a gravity-fed evaporator to create the heat which ultimately cools, unlike a home refrigerator, which uses a compressor.



N641 (2-Way), N641.3 (3-Way)



N841 (2-Way), N841.3 (3-Way)

### N600 AND N800 DIAGNOSTIC SERIES FEATURES:

- Superior Cooling Unit for top performance, greater durability and longer road life.
- Adjustable thermostat responds to changes in ambient temperatures and varied use.
- Embedded steel A-frame construction for structural integrity.
- One-gallon container shelf storage.
- Easy accessibility to two-liter bottle, half gallon and large container storage.
- Easy-clean, no-tarnish white powder coated shelves.
- Two crispers for storing ample meats, fruits and vegetables.
- Positive lock door handles—convenient, easy to use with either hand.
- Storage latches for air circulation when not in use.
- Light shuts off if door left ajar.
- Designed for built-in use (cabinet is unfinished).
- Convenient eye-level controls with built-in diagnostics.
- Black trim; add door panels (not included).
- 1-year limited warranty.
- Made in America.
- **N600 Series:** 120 lbs. net weight, 139 lbs. shipping weight.
- **N800 Series:** 129 lbs. net weight, 149 lbs. shipping weight.
- **N641 & N841:** 1.2 Amps @ 12V DC, 3.0 Amps @ 120V/AC, plus LP Gas.
- **N641.3 & N841.3:** 3.0 Amps @ 120V/AC, 14.8 Amps @ 12V/DC, plus LP Gas.

**DOOR PANEL NOT INCLUDED; ORDER SEPARATELY**



N841IM (2-Way with Ice Maker)

Order #	Mfr. #	Built-In Refrigerator	Capacity cu. ft.	Cut-Out Dimensions H x W x D	Ship Code	Black Door Panel Order Separately			
64963	#N641L	2-Way Diagnostic	6.3	52-7/8" x 23-1/2" x 24"	◆	Top	14-17/32" x 21-19/32"	61289	
64614	#N641R	Diagnostic			◆	Bottom	31-5/8" x 21-19/32"	61294	
64616	#N641.3R	3-Way Diagnostic	6.3	52-7/8" x 23-1/2" x 24"	◆	Top	14-17/32" x 21-19/32"	61289	
						Bottom	31-5/8" x 21-19/32"	61294	
64966	#N841L	2-Way Diagnostic	7.5	59-7/8" x 23-1/2" x 24"	◆	Top	14-17/32" x 21-19/32"	61289	
64617	#N841R	Diagnostic			◆	Bottom	38-1/2" x 21-19/32"	61300	
64618	#N841IMR	2-Way Diagnostic with Ice maker	7.5	59-7/8" x 23-1/2" x 24"	◆	Top	14-17/32" x 21-19/32"	61289	
						Bottom	38-1/2" x 21-19/32"	61300	
64621	#N841.3R	3-Way Diagnostic	7.5	59-7/8" x 23-1/2" x 24"	◆	Top	14-17/32" x 21-19/32"	61289	
						Bottom	38-1/2" x 21-19/32"	61300	





**CAMCO**  
60393  
**CAMCO FLYING INSECT SCREENS**

**FOR REFRIGERATOR**

Wasps, mud dauber, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air flow.

Protect your valuable investment by purchasing and installing Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.



**60393** RS500 Fits RV Refrigerator Vents Except Dometic #42148 6

**60395** RS600 Fits Dometic RV Refrigerator Vents #42149 6



**CAMCO MINI ICE CUBE TRAYS**

Small trays fit perfectly into RV, marine or dorm freezers. Provides small size cubes for quick freezing. (9" x 4" x 1")

**46911** Mini Ice Cube Trays, Bag/2 #44100 4




**JR PRODUCTS**  
**REFRIGERATOR VENT LATCHES**

Twist lock latch most often used in refrigerator exterior doors but can also be used for many interior converter doors.

*Vent Latch:*

**45063** For Thin Panel Walls (up to .057"), Pk/2 #00235 24

**45064** For Thick Panel Walls (up to .162"), Pk/2 #00245 24



**RV DESIGNER LATCHES**

**REFRIGERATOR/ CONVERTER VENT LATCH**

Latch commonly used on exterior access door for fridge vent, inverter door, etc.

**43977** Fridge/Converter Vent Latch #E377 12

**CONDOR**  
by CP PRODUCTS  
**MULTI-SURFACE SQUARE LEVEL**

Great for use at home, or when you're on the road in your RV or camper. This multi surface level can be used on any of its edges to adjust vertical and restrictive areas. Carded.

**40482** Multi-Surface Level #40482 20



**CAMCO**  
**RV OAK-FINISH REFRIGERATOR BARS**

Keep order in your RV refrigerator and cupboards during travel. Spring loaded bars keep items in place. Cupboard bars extend from 10" to 17"; Refrigerator bars extend from 16" to 28".

**68566** Refrigerator bars oak-look, Pk/3 #43823 6



**JR PRODUCTS**  
**REFRIGERATOR DOOR LOCK PIN**

This universal security pin is commonly found on refrigerator doors but can also be used for window and sliding doors. Easy to install anywhere you need to keep a door or window closed during travel.

**45217** Refrigerator Door Lock Pin, Packaged #20705 24



**RV DESIGNER PARTS FOR REFRIGERATOR**

**TRAVEL LOCK LATCH**

Clever latch keeps fridge doors from opening while driving. Works for single or double door fig. 7/8" x 2". Black plastic. Screws included, Pk/2.

**46178** Travel Lock Latch #H593 1

**TRAVEL LOCK PIN**

Pin fits in hole to lock fridge door closed while driving. Pin is 1-1/2" L. Chain & screw included.

**46177** Lock Pin, Pk/1 #H591 1



**GOLD COAST**  
by CAMCO  
**REFRIGERATOR DOOR STAY**



Keeps your refrigerator door propped open to improve air circulation and prevent mold build-up. Simply moisten suction cups and place curved end on the inside of refrigerator side wall, close door to meet other end of PVC rod with its suction cup sticking to the inside of the door. Adjust to preferred opening position.

**48154** Refrigerator Door Stay #45641 6